



Škoda **Kamiq** 5 doors/5 seats/hatchback from 2024











Airbag	Stored gas inflator		Seat belt pretensioner	 SRS control unit	Fuel tank
Gas strut/preloaded spring	High strength zone	000 000	Battery low voltage		



Škoda Kamiq

5 doors/5 seats/hatchback from 2024

1. Identification / recognition





2. Immobilisation / stabilisation / lifting

Immobilising the vehicle



- Switch to position "P"
- 2. Apply the barking brake
- Switch off the ignition (power display "OFF") 3.
- Secure the vehicle so it cannot roll away

Lifting points



Suitable lifting points

3. Disable direct hazards / safety regulations

Switching off the ignition



- Turn the ignition key and remove it or
- Press the "Engine Start/Stop" button in the steering column without engaging the brake pedal.



Keep the vehicle key at least five metres away from the vehicle wherever possible.



Disconnecting the 12-volt battery




In the engine compartment Disconnect the negative terminal from the battery

Additional information Document number Version 02 (04/2024)



Škoda **Kamiq** 5 doors/5 seats/hatchback from 2024

4. Access to the occupants



Glass types:

- ① Composite safety glass
- ② Single-pane safety glass

Electrical seat adjustment

Mechanical seat adjustment

Mechanical steering column adjustment







5. Stored energy / liquids / gases / solids









Gasoline, max. 50 l











12 V

6. In case of fire














7. In case of submersion


Once the vehicle has been recovered, let the water drain out and disconnect the battery or batteries (see chapter 3). Use appropriate personal protective equipment!



Škoda Kamiq 5 doors/5 seats/hatchback from 2024

8. Towing / transportation / storage







Rear towing eye on the right-hand side of the vehicle





9. Important additional information

Škoda Emergency Services Rescue Sheets: www.skoda-auto.com/services/rescuers

10. Explanation of pictograms used















If a vehicle has been involved in an accident, do not tow it on its drive axles.



Flammable

Corrosives

Hazardous to the human health

Environmental hazard

Vehicle on fuel of liquid group 2

tinguish the fire

Remove smart

Release the bonnet